

LUBE ONLY



EFFECTIVELY LUBRICATE AND SUSTAIN YOUR EQUIPMENT

GROUND FORCE WORLDWIDE

SELF-CONTAINED CLEAN LUBE DELIVERY

Ground Force Worldwide Lube Trucks offer you the perfect solution for your on-site preventative maintenance lubrication program. We offer standard designs and can also customize to your specific service needs. Our larger lube trucks are capable of full PMs on even the largest hydraulic shovels in operation today, minimizing down time and increasing productivity.





Capacities may vary depending on chassis size, weight distribution, and custom requirements.	LUBE ONLY BODIES:		
	CLASS	CAPACITY	MODEL
	Heavy-Duty Tandem-Axle	Lubricants: 200 - 300 gal. (757 - 1,135 L) Grease: 100 +/- lb. (45 +/- kg)	LT
	25 T (23 mt)	Lubricants: 3,000 +/- gal. (11,356 +/- L) Grease: 800 - 1100 lb. (362 - 498 kg)	25L
	30 T (28 mt)	Lubricants: 3,000 +/- gal. (11,356 +/- L) Grease: 800 - 1100 lb. (362 - 498 kg)	30L
	35 T (33 mt)	Lubricants: 3,500 +/- gal. (13,248 +/- L) Grease: 1100+ lb. (498 kg)	35L
	40 T (36 mt)	Lubricants: 4,000 - 6,000 gal. (37,854 L) Grease: 1,100+ lb. (498 kg)	40L
	60 T (55 mt)	Lubricants: 5,000 - 7,000 gal. (18,927 - 26,497 L) Grease: 2,200 lb. (997 kg)	60L





SPECIAL FEATURES

Products include oil, used oil, coolant, grease, air & water

- Full product filtration
- Fully baffled product tanks
- Product metering systems
- Product tank level gauges

OPERATOR EASE & SAFETY

- Ground-level/remote-fill for fuel
- Micro-controller is bluetooth capable for easy troubleshooting and configuration changes by app-based technology where wifi is present.
- New and used filter storage
- Enclosed ground level rear and/or side reel compartment
- Mine-site lighting packages
- Anti-Slip walkways and handrails

PRODUCT AVAILABILITY & OPTIONS

- Lube capacity from 200 to 30,000 gal. (757 to 19 L)
- Spring, Hydraulic, and Electric reel available
- Enclosed & heated body for arctic applications
- Systems powered by chassis hydraulics or diesel-driven Auxiliary Power Unit (APU)
- Kidney-loop filtration systems
- Roll-over protection system

*Ground Force Field Service Available

OPTIONAL FLUID LEVEL MONITORING SYSTEM

- In-cab fluid level monitoring for all product tanks
- Digitally controlled monitor with backlit LCD for low-light operations
- Touch screen functionality and expandable system components available for alternate locations











All dimensions, specifications and product availability are subject to change based on continual product improvement and customer request.







THE GROUND FORCE DIFFERENCE

Innovative & Diverse Products Loyalty & Devotion to our Customers Global Service & Support





6001 E. Seltice Way Post Falls, ID 83854 U.S.A. +1.208.664.9291 | Fax 208.664.9475 solutions@gfworldwide.com gfworldwide.com