RIGID FRAME WATER TRUCKS

9,000 - 62,000 gallons





WHEN RELIABILITY MATTERS **OUR WATER TANKS DELIVER**

GROUND FORCE WORLDWIDE RIGID FRAME WATER TRUCKS

ENGINEERED FOR PERFORMANCE

Ground Force Worldwide engineers and manufactures capacities up to 62,000 gal. (234,695 L) and with a range of options. Ground Force watering equipment plays an integral part in the most demanding mining projects. Investing in our quality watering equipment pays for itself in durability, performance and reliability.









Capacities may vary depending on chassis size, weight distribution, and custom requirements.	RIGID FRAME WATER TANKS:		
	CLASS	CAPACITY	MODEL
	40 T (36 mt)	9,000 G (34,068 L)	9W
	50 T (45 mt)	10,000 G (37,854 L)	10W
	60 T (54 mt)	12,000 - 13,000 G (45,424 - 49,210 L)	12W / 13W
	70 T (63 mt)	15,000 G (56,781 L)	15W
	100 T (90 mt)	18,000 - 20,000 G (68,137 - 75,708 L)	18W / 20W
	150 T (136 mt)	25,000 - 32,000 G (94,635 L - 121,133 L)	25W / 32W
	200 T (181 mt)	35,000 - 40,000 G (132,489 - 151,416 L)	35W / 40W
	240 T (217 mt)	45,000 - 52,000 G (170,343 - 196,841 L)	45W / 52W
	400 T (363 mt)	60,000 G (227,124 L)	60W

For more information & pricing contact your Ground Force Major Account Manager.



TANK SPECIFICATIONS

- Dual-radius, semi-elliptical design
- Built for heavy mining application
- Endo-skeleton, designed with structural I-beams for extended life and stability
- Fully baffled; longitudinal and transverse
- Engineered tub-surge control system
- Designed to achieve lowest center of gravity
- Banded manway with safety grate
- Ladder with safety rail
- Anti-skid top walkway with PPE tie-off
- Sump with drain for clean out
- Sealed weatherproof wiring
- LED tail, stop and turn lights
- *Ground Force Field Service available

GROUND FORCE WATER CONTROL SYSTEM (WCS)

See our online WCS Specalog for a complete range of options and specifications.

- Externally mounted, high performance water pump
- Digital in-cab control monitor
- Programmable menu with (4) preset spray settings
 - ✓ Intermittent spray settings for wet-strip, dry-strip watering
 - \checkmark On-the-fly, one-touch control for change of individual spray heads
 - ✓ Backlit LCD screen for low-light operations
- Integration of an extensive range of options
 - \checkmark Rear spray bar with (4) staggered fan-sprays
 - ✓ Side sprays, hose reels, water cannons, & gravity dump
- Heated component enclosure available for arctic applications
- Optional fire foam system















All dimensions, specifications and product availability are subject to change based on continual product improvement and customer request.



GF32

<complex-block>





THE GROUND FORCE DIFFERENCE

Innovative & Diverse Products Loyalty & Devotion to our Customers Global Service & Support





6001 E. Seltice Way Post Falls, ID 83854 U.S.A. +1.208.664.9291 | Fax 208.664.9475 solutions@gfworldwide.com gfworldwide.com